




Link To Perfection



D E A L E R C A T A L O G U E
2 0 1 9



WHY KMC?

Compatibility

KMC derailleur chains are 100% compatible with all major systems. We do not distinguish between disciplines; our chains are suitable for both road and off-road. The way in which KMC chains are categorized is logical: for example any product from the X11 series will fit any 11-speed derailleur system and every possible use.

Durability

From many field tests, we can conclude that the KMC chains last longer than their equivalents offered by other brands. Our unique satisfaction warranty on many of our products is a proof of our confidence. In fact, we guarantee 10.000km+ for the e101 EPT chain in combination with our sprockets.

Easy assembly

Nearly every KMC chain is supplied with a connecting link. Assembly of the chain is fast, secure, uncomplicated and convenient. In order to shorten the chain to the required length, simply use the Chain De-Rivetter. To assemble or disassemble the MissingLink, KMC recommends the use of the Connecting- and Opening tools.



Responsibility

KMC is constantly striving to manufacture the best possible quality products with minimal environmental impact. On top of meeting European standards, KMC is the first and only chain manufacturer to measure their carbon footprint. In order to reduce emissions, energy intensive processes constantly undergo optimization. Also more obvious steps are taken like solar panels at our factories reduce, or even neutralize electricity consumption from our European operation.



KMC IS PROUD SPONSOR OF:



KMC PRODUCT FEATURES



Unique Guarantee

The life of a KMC chain with this quality warranty is guaranteed to last longer than other brands. This durability treatment includes all DLC, e-bike, XSL, XEL and X101 chains. If you are not satisfied with the durability of your chain, fill out the form on www.kmcchain.eu/warranty-claim.



Durability Factor

The red dots represent the durability of the chain. This durability factor is used for our DLC, e-Bike and X-series chains. Five red dots indicate the maximum durability factor.



e-Bike

Our e-Bike chains are specially designed for use in combination with strong mid motors. Optimized pinpower and unsurpassed durability are the key features of our e-Bike chains.



Drive train guarantee

Introducing this solution for internal gear hub equipped (e-)bikes, drive train wear is minimised by using clever solutions to carefully match chain, chain wheel and sprocket, KMC's e101 EPT chain in combination with KMC's 3 mm wide chain ring/sprockets ensure a mileage over 10,000km - guaranteed!



KMC's e1 EPT chain in combination with KMC's narrow chain ring/sprockets ensure a mileage over 3,500km - guaranteed!



DLC

The main characteristic of the Diamond Like Coating is reduction of abrasive wear. Besides this, its surface hardness is higher than most coatings, this ensures a long-term function, optical stability and higher durability. Diamond durability guarantees unsurpassed durability for all DLC12, DLC11 and DLC10 chains.



EPT

KMC's latest breakthrough in rust protection. EcoProTeQ treatment doubles the rust resistance compared to the RB treatment. Benefits of the smoother coating are less noise, optimum performance, maximum rust resistance and great look.



Ti-N

KMC's special Titanium Nitride coating not only looks fantastic, it has an ultra-smooth surface and is extremely durable.



Non Directional

Our chains are compatible with all major shifting systems, there is no given direction.



Super Light

KMC's X11SL weighs 242 grams/118 Links only, being the very lightest of all 11-speed chains.



X-Bridge

Specially designed outer plate to enable fast, smooth and precise shifts.

INDEX

DLC

4 - 7

e-Bike

8 - 15

Sprockets & Chainrings

16 - 19

X-Series

20 - 29

Z-Series & S-Series

30 - 33

B1, K1 & HL

34 - 35

Workshop Solutions


36 - 39

Marketing Material

40 - 41



KMC DLC technology



Excellent shifting performance

The Double X Bridge and chamfering on the inner and outer plates create the perfect harmony between the chain and the other parts of the drive train and results in the best possible shifting performance.

Slotted inner plate



Slotted outer plate

Hollow Pin

Eye Catcher!

KMC's DLC chains are a great way to complete the looks of your bike. With its black base and numerous colour options you will easily find the perfect one to match your bike!

Extreme Durability

The main feature, besides its looks, is the unsurpassed durability. The fabulous durability of the chain in combination with the low friction extends the lifespan of the drive train significantly.

Diamond-hard surface

The Titanium Carbon Nitride DLC coating contributes to enhancing shifting performance and smoothness.

KMC Super Light Chain

Hollow pin, slotted inner and outer plates reduce the weight per link to 2,08 grams! (DLC11)

DLC SERIES

- Compatible with SRAM 12-speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

DLC12

DLC 12-speed



- Durability Factor: ●●●●●
- Diamond Like Coating
- Hollow pin design
- DLC Black, Black/Red, Black/Blue, Black/Green, Black/Orange, Black/Yellow
- High precision chamfering for excellent shifting performance
- 260 grams per 126 Links only!



MissingLink 12NR DLC

2pcs/card - 50/carton
product nr.: C12DLCNR0



DLC12 Black 126 Links - 1/20 box
product nr.: BD12B0126



4 715575 895765

DLC12 Black/Red 126 Links - 1/20 box
product nr.: BD12BR126



4 715575 895772

DLC12 Black/Blue 126 Links - 1/20 box
product nr.: BD12BB126



4 715575 895789

DLC12 Black/Green 126 Links - 1/20 box
product nr.: BD12GG126



4 715575 895796

DLC12 Black/Orange 126 Links - 1/20 box
product nr.: BD12BO126



4 715575 895802

DLC12 Black/Yellow 126 Links - 1/20 box
product nr.: BD12BY126



4 715575 895819



DLC SERIES

- For Road, MTB, Gravel and Cyclo Cross
- Compatible with all 11- speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

DLC11

DLC11-speed



- Durability Factor: ●●●●●
- Diamond Like Coating
- Hollow pin, open inner and outer plate design
- DLC Black, Black/Blue, Black/Celeste, Black/Orange, Black/Pink, Black/Red, Black/Green, Black/Yellow
- Super Light, 247 grams per 118 Links only!



DLC 11 Black 118 Links - 1/20 box
product nr.: BD11B0118



DLC 11 Black/Blue 118 Links - 1/20 box
product nr.: BD11B8118



DLC 11 Black/Celeste 118 Links - 1/20 box
product nr.: BD11B6118



DLC 11 Black/Orange 118 Links - 1/20 box
product nr.: BD11B0118



DLC 11 Black/Pink 118 Links - 1/20 box
product nr.: BD11B9118



DLC 11 Black/Red 118 Links - 1/20 box
product nr.: BD11B8118



DLC 11 Black/Green 114 Links - 1/20 box
product nr.: BD11GG118



DLC 11 Black/Yellow 118 Links - 1/20 box
product nr.: BD11BY118



MissingLink 11R DLC

2pcs/card - 50/carton
product nr.: C11DLCR00



DLC SERIES

- For Road, MTB, Gravel and Cyclo Cross
- Compatible with all 10- speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

DLC10

DLC10-speed



- Durability Factor: ●●●●●
- Diamond Like Coating
- Hollow pin, open inner and outer plate design
- DLC Black, Black/Blue, Black/Red, Black/Green
- Super Light, 257 grams per 116 Links only!



DLC10 Black/Black 116 Links - 1/20 box
product nr.: BD10B0116



DLC10 Black/Red 116 Links - 1/20 box
product nr.: BD10BR116



DLC10 Black/Blue 116 Links - 1/20 box
product nr.: BD10BB116



DLC10 Black/Green 116 Links - 1/20 box
product nr.: BD10GG116



MissingLink 10R DLC

2pcs/card - 50/carton
product nr.: C10DLCR00



KMC REDEFINES THE DRIVE TRAIN



Introducing this solution for internal gear hub equipped (e-)bikes, drive train wear is minimised by using clever solutions to carefully match chain, chain wheel and sprocket, KMC's e101 EPT chain in combination with KMC's 3mm wide chain ring/sprockets ensure a mileage over 10,000km - guaranteed!

For narrow drive trains KMC offers a perfect combination of KMC's e1 and narrow sprockets which guarantee a mileage over 3,500km.

- Maximum Durability
- High Efficiency
- Low Maintenance
- No Rust
- Easy Upgrade


10,000km+

powered by 

3,500km+

powered by 

Compatible with



E-BIKE SERIES

- Special design for mid-motor e-Bike
- Including MissingLink

Compatible with



e11

11-speed



- Durability Factor: ●●●●●
- Cutting-Edge Riveting Technique
- Increased Pin-Power
- High Torsion Resistance
- Finish: Nickel plated or EcoProTeQ Anti Rust technology



11NR EPT Silver

2pcs/card
product nr.: C11EPTNR0
4 715575 896755

40pcs/box
product nr.: WC11EPTNR
4 715575 882291

e11 Silver 122 Links - 1/30 box
product nr.: BE11TNP22



4 715575 890005

e11 EPT 122 Links - 1/30 box
product nr.: BE11TEP22



4 715575 890029

e11 EPT 50m reel + 40 CL
product nr.: WRE11TEPT



4 715575 895437

e9

9-speed



- Durability Factor: ●●●●●
- Cutting-Edge Riveting Technique
- Increased Pin-Power
- High Torsion Resistance
- Finish: Nickel plated or EcoProTeQ Anti Rust technology



9NR EPT Silver (e9)

2pcs/card
product nr.: C09EPTNR0
4 715575 894737

40pcs/box
product nr.: WC09EEPNR
4 715575 882338

e9 Silver 136 Links - 1/30 box
product nr.: BE09TNP36



4 715575 890074

e9 EPT 136 Links - 1/30 box
product nr.: BE09TEP36



4 715575 890081

e9 EPT 50m reel + 40 CL
product nr.: WRE09TEPT



4 715575 895468

e10

10-speed



- Durability Factor: ●●●●●
- Cutting-Edge Riveting Technique
- Increased Pin-Power
- High Torsion Resistance
- Finish: Nickel plated or EcoProTeQ Anti Rust technology



10NR EPT Silver

2pcs/card
product nr.: C10EPTNR0
4 715575 894720

40pcs/box
product nr.: WC10EPTNR
4 715575 882314

e10 Silver 122 Links - 1/30 box
product nr.: BE10TNP22



4 715575 890043

e10 EPT 136 Links - 1/30 box
product nr.: BE10TEP36



4 715575 890067

e10 EPT 50m reel + 40 CL
product nr.: WRE10TEPT



4 715575 895451

e1

Internal gear hub



- Durability Factor: ●●●●●
- Finish: Nickel plated or EcoProTeQ Anti Rust technology
- Developed for mid-motor e-Bikes and high end internal gear hub
- Size: 1/2" x 3/32" Narrow



3,500km+
powered by KMC



e1NR EPT Silver

2pcs/card
product nr.: C01EPTNR0
4 715575 896861

40pcs/box
product nr.: WC01EPTNR
4 715575 882352

e1 Silver 110 Links - 1/30 box
product nr.: BE1NP0110



4 715575 890142

e1 Silver 50m reel + 40 CL
product nr.: WRE01NP00



4 715575 896632

e1 EPT 110 Links - 1/30 box
product nr.: BE1EPT110



4 715575 890173

e1 EPT 130 Links - 1/30 box
product nr.: BE1EPT130



4 715575 881294

e1 EPT 50m reel + 40 CL
product nr.: WRE01EPT0



4 715575 896649

E-BIKE SERIES

- Special design for mid-motor e-Bike
- Including Connecting Link

Compatible with



e101

Internal gear hub



- Durability Factor: ●●●●●
- Super rigid: maximum efficiency!
- Finish: EcoProTeQ Anti Rust technology
- Size: 1/2" x 1/8" Wide



e101EPT 112 Links - 1/30 box
product nr.: BE101EP12



e101EPT 50m reel + 40 CL
product nr.: WRE101EP



101 NR EPT Silver

2pcs/card
product nr.: C101EPTNR



40pcs/box
product nr.: WC101EPNR



Z1eHX Wide

Internal gear hub



- Durability Factor: ●●●●●
- Increased Pin-Power
- High tensile strength
- Finish: Nickel plated or EcoProTeQ Anti Rust technology
- Size: 1/2" x 1/8" Wide



Z1eHX Silver 112 Links - 1/60 box
product nr.: BZ1EWNP12



Z1eHX Silver 50m reel + 40 CL
product nr.: WRZ1EWNPO



Z1eHX EPT 112 Links - 1/60 box
product nr.: BZ1EWEPT12



Z1eHX EPT 50m reel + 40 CL
product nr.: WRZ1EWEPT



Z1eHX Wide NR EPT Silver

2pcs/card
product nr.: CZ1EWNREP



40pcs/box
product nr.: WCZ1EWNREP



Z1eHX Narrow

Internal gear hub



- Durability Factor: ●●●●●
- Increased Pin-Power
- High tensile strength
- Finish: Nickel plated or EcoProTeQ Anti Rust technology
- Size: 1/2" x 3/32" Narrow



Z1eHX Silver 112 Links - 1/60 box
product nr.: BZ1ENN12



Z1eHX Silver 50m reel + 40 CL
product nr.: WRZ1ENNPO



Z1eHX EPT 112 Links - 1/60 box
product nr.: BZ1ENEP12



Z1eHX EPT 128 Links - 1/60 box
product nr.: BZ1ENEP28



Z1eHX EPT 50m reel + 40 CL
product nr.: WRZ1ENEPT



Z1eHX Narrow NR EPT Silver

2pcs/card
product nr.: CZ1ENNREP



40pcs/box
product nr.: WCZ1ENNREP



KMC E-BIKE SOLUTIONS

Compatible with
 **BOSCH**
 e-Bike systems*



DRIVE TRAIN BUNDLES FOR e-BIKE

KMC was the first chain supplier offering specific chains for e-Bikes with mid motor. Consequently we extended our product range by offering drive sprockets for Bosch Gen 2 and Gen 3 mid motors and sprockets for internal gear hubs. Narrow tolerance, top end material and sufficient corrosion resistance enable a perfect interaction with our chains. It has been proven that our e1 chain in combination with KMC original sprockets significantly increases drive train durability.

However, also on e-Bikes with derailleur the engine drive sprocket quality plays an important role. In fact all drive train parts interact and influence the individual wear of its parts, therefore it is paramount that quality of drive train parts are matching. KMC e11, e10 and e9 are reinforced chains, specially made for bikes equipped with strong mid-engines in combination with 11-, 10- or 9-speed derailleur shifting systems.

Taking the more frequent shifting movements under load into consideration, the reinforced e-chain allows enhanced safety reserve. Besides that our e-chains offer unsurpassed durability by using the most advanced chain technology.

10.000km+ and 3.500km+

For Bosch Gen 2 and Gen 3 engines we offer drive train bundles with the highest possible durability. The first time in KMC's history we guarantee a certain mileage: 3.500 km+ we guarantee for the combination of our e1EPT chain, Bosch Gen 2 or Gen 3 narrow drive sprocket and KMC's narrow rear sprocket for Shimano or Enviolo.


A new benchmark was set with the 10.000 km+ drive train: We combine our e101 chain with wide sprockets. Both chain and sprocket are being produced with highest precision, while the wider surface contact area adds another building block to further maximizing the drive train's durability.



Drive train durability on e-Bikes with mid engine

KMC e101 chain + KMC sprocket Wide

10,000km+

powered by 

KMC e1 chain + KMC sprocket Narrow

3,500km+

powered by 

Standard

Sprocket/Chain Compatibility chart

KMC Sprockets	Product nr.	Teeth	Size	KMC e11	KMC e10	KMC e9	KMC e1	KMC e101
Bosch 3 offset	BFCB0138	38	11/128"	•	•	•	•	
Bosch 3 flat	BFCB0038	38	11/128"	•	•	•	•	
Bosch 3 flat	BFCB0044	44	11/128"	•	•	•	•	
Bosch 2	BSFB5015	15	11/128"	•	•	•	•	
Bosch 2	BSFB5018	18	11/128"	•	•	•	•	
Bosch 2	BSFB5019	19	11/128"	•	•	•	•	
Bosch 2	BSFB5020	20	11/128"	•	•	•	•	
Bosch 2	BSFB5021	21	11/128"	•	•	•	•	
Bosch 2	BSFB5818	18	1/8"					•
Bosch 2	BSFB5819	19	1/8"					•
Bosch 2	BSFB5820	20	1/8"					•
Bosch 2	BSFB5821	21	1/8"					•
Enviolo	BSRN5020	20	3/32"				•	
Enviolo	BSRN5820	20	1/8"					•
Shimano	BSRS5017	17	3/32"				•	
Shimano	BSRS5018	18	3/32"				•	
Shimano	BSRS5019	19	3/32"				•	
Shimano	BSRS5020	20	3/32"				•	
Shimano	BSRS5818	18	1/8"				•	
Shimano	BSRS5819	19	1/8"				•	
Shimano	BSRS5820	20	1/8"				•	

KMC e-Bike Compatibility chart

KMC Model	Links	Mid motor	Hub motor	11-speed Cassette	10-speed Cassette	9-speed Cassette	1/2" x 3/32" Drive train	1/2" x 1/8" Drive train	Chain-tensioner	Chainglider®	Anti-Rust	Durability warranty	KMC Nr.	EAN
e11 Silver	122	•	•	•					•			•	BE11TNP22	4715575890005
e11 EPT	122	•	•	•					•		•	•	BE11TEP22	4715575890029
e10 Silver	122	•	•		•				•			•	BE10TNP22	4715575890043
e10 EPT	136	•	•		•				•			•	BE10TEP36	4715575890067
e9 Silver	136	•	•			•			•			•	BE09TNP36	4715575890074
e9 EPT	136	•	•			•			•			•	BE09TEP36	4715575890081
e1 Silver	110	•	•				•		•	•		•	BE1NP0110	4715575890142
e1 EPT	110	•	•				•		•	•		•	BE1EPT110	4715575890173
e1 EPT	130	•	•				•		•	•		•	BE1EPT130	4715575881294
e101 EPT	112	•	•					•	•	•		•	BE101EP12	4715575897479
Z1eHX Narrow Silver	112	•	•				•		•	•			BZ1ENNP12	4715575891026
Z1eHX Narrow EPT	112	•	•				•		•	•			BZ1ENEP12	4715575897646
Z1eHX Narrow EPT	128	•	•				•		•	•			BZ1ENEP28	4715575897653
Z1eHX Wide Silver	112	•	•					•	•	•			BZ1EWNP12	4715575890982
Z1eHX Wide EPT	112	•	•					•	•	•			BZ1EWEP12	4715575897639
Z1 Wide EPT	128	•						•	•	•			BZ1WEP128	4715575897776



SPROCKETS

Optimized for e-Bike

- Maximum durability
- High efficiency
- High-end Chromoly hardened steel
- Easy upgrade




11/128" Extra Narrow

Compatible with



e-Bike systems

1/8" Wide



Bosch Gen 2

Type : 15T
Finish : Chromoly Black
Size : 11/128"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5015



Bosch Gen 2

Type : 18T
Finish : Chromoly Black
Size : 11/128"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5018



Bosch Gen 2

Type : 19T
Finish : Chromoly Black
Size : 11/128"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5019



Bosch Gen 2

Type : 20T
Finish : Chromoly Black
Size : 11/128"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5020



Bosch Gen 2

Type : 21T
Finish : Chromoly Black
Size : 11/128"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5021



Bosch Gen 2

Type : 18T
Finish : Chromoly Black
Size : 1/8"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5818



Bosch Gen 2

Type : 19T
Finish : Chromoly Black
Size : 1/8"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5819



Bosch Gen 2

Type : 20T
Finish : Chromoly Black
Size : 1/8"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5820



Bosch Gen 2

Type : 21T
Finish : Chromoly Black
Size : 1/8"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSFB5821



SPROCKETS

Optimized for e-Bike


- Maximum durability
- High efficiency
- High-end Chromoly hardened steel
- Easy upgrade

Compatible with



e-Bike systems

3/32" Narrow & 1/8" Wide



Shimano

Type : 17T
Finish : Chromoly Black
Size : 3/32"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSR5017



Shimano

Type : 18T
Finish : Chromoly Black
Size : 3/32"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSR5018



Shimano

Type : 19T
Finish : Chromoly Black
Size : 3/32"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSR5019



Shimano

Type : 20T
Finish : Chromoly Black
Size : 3/32"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSR5020



Shimano

Type : 18T
Finish : Chromoly Black
Size : 1/8"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSR5818



Shimano

Type : 19T
Finish : Chromoly Black
Size : 1/8"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSR5819



Shimano

Type : 20T
Finish : Chromoly Black
Size : 1/8"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSR5820



SPROCKETS & CHAIN RINGS



Optimized for e-Bike

3/32" Narrow & 1/8" Wide



Enviolo

Type : 20T
Finish : Chromoly Black
Size : 3/32"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSRN5020



Enviolo

Type : 20T
Finish : Chromoly Black
Size : 1/8"
Packing : 1 in sleeve, 25 in mastercarton
Product no. : BSRN5820



Chainrings



Bosch Gen 3

Type : 38T offset - Direct Mount
Finish : Chromoly Black
Size : 11" / 128"
Chain Line : 50,5 mm
Packing : 1 in sleeve, 10 in mastercarton
Product no. : BFCB0138



Bosch Gen 3

Type : 38T flat - Direct Mount
Finish : Chromoly Black
Size : 11" / 128"
Chain Line : 47,5 mm
Packing : 1 in sleeve, 10 in mastercarton
Product no. : BFCB0038



Bosch Gen 3

Type : 44T flat - Direct Mount
Finish : Chromoly Black
Size : 11" / 128"
Chain line : 47,5 mm
Packing : 1 in sleeve, 10 in mastercarton
Product no. : BFCB0044



KMC 12-speed technology



Cutting Edge Technology

By adopting cutting edge forging technology, KMC sets a new benchmark for chain production. Extremely precise engineering ensures phenomenal shifting performance and highest chain life.

Asymmetrical chamfering avoids interference

Precisely calculated for outer plates, the four smart chamfering areas ingeniously avoid interference between chain and cassette teeth to guarantee quiet and safe performance. Compatible with both single (1x) and multiple chain rings.



X-SERIES

- Compatible with SRAM 12-speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

X12

12-speed



- Durability Factor: ●●●●●
- Finish: Ti-N Gold/Black, Titanium Nitride Gold coated, Nickel plated or EcoProTeQ Anti Rust technology
- High precision chamfering for excellent shifting performance
- 268 grams per 126 Links



X12 Ti-N Gold/Black 126 Links - 1/30 box
product nr.: BX12TB126



X12 Ti-N Gold 126 Links - 1/30 box
product nr.: BX12T1126



X12 Silver/Black 126 Links - 1/30 box
product nr.: BX12NP126



X12 Silver 126 Links - 1/30 box
product nr.: BX12NP126



X12 EPT 126 Links - 1/30 box
product nr.: WPX12N126



X-SERIES

- Compatible with all 11-speed drive train systems
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

X11SL

11-speed



- Durability Factor: ●●●●●
- Finish: Ti-N Gold/ Black, Ti-N Gold or Nickel plated
- Hollow pin, open inner- and outer plate design
- Super Light, 242 grams per 118 Links only!



X11SL Ti-N Gold/Black	118 Links - 1/30 box product nr.: BD11SLT88	
		4 715575 897493
X11SL Ti-N Gold	118 Links - 1/30 box product nr.: BX11SLT18	
		4 715575 890227
X11SL Silver	118 Links - 1/30 box product nr.: BX11SLN18	
		4 715575 890234



MissingLink 11R Ti-N Gold

2pcs/card
product nr.: C11GR000



4 715575 896748



MissingLink 11R EPT Silver

2pcs/card
product nr.: C11EPT00



4 715575 894706

40pcs/box
product nr.: WC11EPTRO



4 715575 895581

X11EL

11-speed



- Durability Factor: ●●●●●
- Finish: Blacktech, Ti-N Gold or Nickel Plated
- Open inner- and outer plate design
- Extra Light, 256 grams per 118 links.



X11EL Blacktech	118 Links - 1/30 box product nr.: BX11ELB18	
		4 715575 890265
X11EL Ti-N Gold	118 Links - 1/30 box product nr.: BX11ELT18	
		4 715575 890241
X11EL Silver	118 Links - 1/30 box product nr.: BX11ELN18	
		4 715575 890258

Steve Cummings, Team Dimension Data.
X11SL Ti-N Gold. Tour de France stage
winner in 2015 and 2016

X-SERIES

X11

11-speed



- Durability Factor: ●●●●●
- Finish: EcoProTeQ Anti Rust technology or Silver/Black
- Elongated Double X Bridge



MissingLink 11R EPT Silver

2pcs/card
product nr.: C11EPT00



4 715575 894706

40pcs/box
product nr.: WC11EPTRO



4 715575 895581

X11 EPT	118 Links - 1/60 box product nr.: BX11EP118	
		4 715575 890319

X11 Silver/Black	118 Links - 1/60 box product nr.: BX11NB118	
		4 715575 890302

X11 Silver/Black	114 Links - 1/60 box product nr.: BX11NB114	
		4 715575 890296

X11 Silver/Black	114 L - 25pcs/Box + 25 CL product nr.: WPX11NB14	
		4 715575 839337

X11 Silver/Black	50m reel + 40 CL product nr.: WRX11NB00	
		4 715575 896571

X11 Grey	118 Links - 1/60 box product nr.: BX11GG118	
		4 715575 897523

X11 Grey	114 Links - 1/60 box product nr.: BX11GG114	
		4 715575 897516

X11 Grey	50m reel + 40 CL product nr.: WRX11G000	
		4 715575 882703



X-SERIES

- Compatible with all 10-speed drive train systems
- Elongated X Bridge
- NON-directional design
- Size: 1/2" x 11/128"
- Including MissingLink

X10SL

10-speed



- Durability Factor: ●●●●●
- Finish: Ti-N Gold or Nickel plated
- Hollow pin, open inner- and outer plate design
- Super Light, 253 grams per 114 Links only!



X10SL Ti-N Gold 114 Links - 1/30 box
product nr.: BX10SLT14
4 715575 890326

X10 SL Silver 114 Links - 1/30 box
product nr.: BX10SLN14
4 715575 890340

X10EL

10-speed



- Durability Factor: ●●●●●
- Finish: Ti-N Gold or Nickel plated
- Open inner- and outer plate design
- Extra Light, 262 grams per 114 Links only!



X10EL Ti-N Gold 114 Links - 1/30 box
product nr.: BX10ELT14
4 715575 890364

X10EL Silver 114 Links - 1/30 box
product nr.: BX10ELN14
4 715575 890388



MissingLink 10R Ti-N Gold

2pcs/card
product nr.: C10GR000
4 715575 896786



MissingLink 10R EPT Silver

2pcs/card
product nr.: CC10EPTR00
4 715575 896779

40pcs/box
product nr.: WC10EPTRO
4 715575 895598

Jordan Sarrou, Team KMC - EKOI - SR
Suntour. X12 Ti-N Gold/Black

X-SERIES

X10

10-speed



- Durability Factor: ●●●●●
- Finish: Nickel plated, Silver/Black or EcoProTeQ Anti-Rust technology



X10 EPT 114 Links - 1/60 box
product nr.: BX10EP114
4 715575 890463

X10 Silver/Black 114 Links - 1/60 box
product nr.: BX10NB114
4 715575 890449

X10 Silver/Black 114 L - 25pcs/Box + 25 CL
product nr.: WPX10NB14
4 715575 499468

X10 Silver/Black 50m reel + 40 CL
product nr.: WRX10NB00
4 715575 896588

X10 Grey 114 Links - 1/60 box
product nr.: BX10GG114
4 715575 897547

X10 Grey 114 L - 25pcs/Box + 25 CL
product nr.: WPX10G114
4 715575 498188

X10 Grey 50m reel + 40 CL
product nr.: WRX10G000
4 715575 896595




X-SERIES

- Compatible with all 9-speed drive train systems
- Size: 1/2" x 11/128"
- Including MissingLink

X9SL

9-speed



- Durability Factor: ●●●●●
- Finish: Ti-N Gold or Nickel plated
- Hollow pin, open inner- and outer plate design
- Super Light, 272 grams per 114 Links only!



X9SL Ti-N Gold 114 Links - 1 / 30 box
product nr.: BX09SLT14



X9 SL Silver 114 Links - 1 / 30 box
product nr.: BX09SLN14



MissingLink 9R Ti-N Gold

2pcs/card
product nr.: C09GR0000



MissingLink 9R EPT Silver

2pcs/card
product nr.: C09EPTR00



40pcs/box
product nr.: WC09EPTR0



X-SERIES

X9

9-speed



- Durability Factor: ●●●●●
- Finish: Ti-N Gold, Nickel plated, EcoProTeQ Anti-Rust technology or Grey



X9 Ti-N Gold 114 Links - 1 / 30 box
product nr.: BX09TI114



X9 Silver 114 Links - 1 / 60 box
product nr.: BX09NP114



X9 EPT 114 Links - 1 / 60 box
product nr.: BX09EP114



X9 Silver/Grey 114 Links - 1 / 60 box
product nr.: BX09NG114



X9 Silver/Grey 114L - 25pcs/Box + 25CL
product nr.: WPX9NG114



X9 Silver/Grey 50m reel + 40 CL
product nr.: WR09NG000



X9 Grey 114 Links - 1 / 60 box
product nr.: BX09GG114



X9 Grey 114L - 25pcs/Box + 25 CL
product nr.: WPX9G0114



X9 Grey 50m reel + 40 CL
product nr.: WR09G0000



Yana Belomoina, CST Sandd American Eagle Mountainbike Racing Team. X12 Ti-N Gold/Black. Winner of the 2017 UCI World Cup and European Champion 2017. Photo: Irmo Keizer.

X-SERIES

- Compatible with all 8-speed drive train systems
- Size: 1/2" x 3/32"
- Including MissingLink

X8

8-speed



- Durability Factor: ●●●●●
- Finish: Nickel plated, Silver/Grey or EcoProTeQ Anti-Rust technology
- Elongated X Bridge



X8 Silver 114 Links - 1 / 60 box
product nr.: BX08NP114
4 715575 890623

X8 EPT 114 Links - 1 / 60 box
product nr.: BX08EP114
4 715575 890661

X8 Silver/Grey 114 Links - 1 / 60 box
product nr.: BX08NG114
4 715575 890647

X8 Silver/Grey 114L - 25pcs/Box + 25 CL
product nr.: WPX8NG116
4 715575 480138

X8 Silver/Grey 50m reel + 40 CL
product nr.: WRO8NG000
4 715575 896625



MissingLink 7/8 R EPT Silver
7.3mm

2pcs/card
product nr.: C78EPT73
4 715575 896854

40pcs/box
product nr.: WC78EPTRO
4 715575 895611

X-SERIES

- Specially designed for Track
- Size: 1/2" x 1/8"
- Including MissingLink

X101

Single Speed



- Durability Factor: ●●●●●
- Light weight
- Super rigid: maximum efficiency!
- Finish: Brass or Nickel Plated
- Bushed
- Size: 1/2" x 1/8" Wide



MissingLink 101 NR EPT Silver

2pcs/card
product nr.: C101EPTNR
4 715575 894843

40pcs/box
product nr.: WC101EPNR
4 715575 130064

Gold 112 Links - 1 / 30 box
product nr.: BX101G112
4 715575 890098

Silver 112 Links - 1 / 30 box
product nr.: BX101N112
4 715575 890104



Andreas Graf, Hrinkow Advarcis Cycleang:
Winner Madison Worldcup 2018
Foto: Eisenbauer

Z-SERIES

Z8

8-speed



- Finish: EcoProTeQ Anti-Rust technology, Silver/Grey, Grey



MissingLink 7/8 R EPT Silver 7,30mm

2 Set auf Karte
Art. Nr.: C78EPTR73



4 715575 896854

40 Sets per Box
Art. Nr.: WC78EPTRO



4 715575 895611

Z8 EPT 114 Links - 1 / 60 box
product nr.: BZ08EP114



4 715575 890760

Z8 Silver/Grey 7,3mm 114 Links - 1 / 60 box
product nr.: BZ08NG114



4 715575 890722

Z8 Silver/Grey 114L - 25pcs/Box + 25 CL
product nr.: WPZ8NG116



4 715575 180526

Z8 Grey 114L - 25pcs/Box + 25 CL
product nr.: WPZ8G0116



4 715575 180519

Z8 Grey 50m reel + 40 CL
product nr.: WRZ8GY000



4 715575 895475

Z7

7-speed



- Finish: Grey/Brown
- Pin-Length: 7,30mm



MissingLink 7/8 R EPT Silver 7,30mm

2pcs/card
product nr.: C78EPTR73



4 715575 896854

Z7 Grey/Brown 114 Links - 1 / 60 box
product nr.: BZ07GB114



4 715575 890869

Z6

6-speed



- Finish: Grey
- Inner plate chamfering



MissingLink 7/8 R EPT Silver 7,30mm

2pcs/card
product nr.: C78EPTR73



4 715575 896854

Z6 Grey 114 Links - 1 / 60 box
product nr.: BZ06G0114



4 715575 890920

Z-SERIES

Z1 Narrow

Internal gear hub



- Finish: EcoProTeQ Anti-Rust technology Brown
- Anti Drop design
- Size: 1/2"x3/32" Narrow



Half Link Narrow

10pcs/Bag
product nr.: OL332000



4 715575 120416



Snap-On Narrow EPT Silver

2pcs/card
product nr.: CSONEPT00



4 715575 896977

40pcs/box
product nr.: WCSONEPT0



4 715575 882383

Z1 Narrow EPT 112 Links - 1 / 60 box
product nr.: BZ1NEPT12



4 715575 897790

Z1 Narrow EPT 114L 25pcs/Box + 25 CL
product nr.: WPZ1NEPT12



4 715575 180502

Z1 Narrow EPT 50m reel + 40 CL
product nr.: WRZ1NEPT0



4 715575 896670

Z1 Narrow Brown 114 Links - 1 / 60 box
product nr.: BZ1NB0112



4 715575 891101

Z1 Narrow Brown 114 L - 25pcs/Box + 25 CL
product nr.: WPZ1NB112



4 715575 180496

Z1 Narrow Brown 50m reel + 40 CL
product nr.: WRZ1NB000



4 715575 896663

Z-SERIES

Z1 Wide

Internal gear hub



- Finish: EcoProTeQ Anti-Rust technology, Gold, Nickel Plated, Brown
- No Drop inner plate
- Size: 1/2" x 1/8" Wide



Z1 Wide EPT 112 Links - 1/60 box
product nr.: BZ1WEP112



Z1 Wide EPT 128 Links - 1/60 box
product nr.: BZ1WEP128



Z1 Wide EPT 128L - 25pcs/Box + 25 CL
product nr.: WPZ1WEP12



Z1 Wide EPT 50m reel + 40 CL
product nr.: WRZ1WEPT0



Z1 Wide Gold 112 Links - 1/60 box
product nr.: BZ1WG0112



Z1 Wide Silver 112 Links - 1/60 box
product nr.: BZ1WNP112



Z1 Wide Brown 112 Links - 1/60 box
product nr.: BZ1WBR112



Z1 Wide Brown 112L - 25pcs/Box + 25 CL
product nr.: WPZ1WB112



Z1 Wide Brown 50m reel + 40 CL
product nr.: WRZ1WB000



S-SERIES

S1 Wide

Internal gear hub



- Finish: RB Anti-Rust Coating, Brown
- Size: 1/2" x 1/8" Wide
- Silent Action



S1 Wide RB 112 Links - 1/60 box
product nr.: BS1WRB112



S1 Wide RB 50m reel + 40 CL
product nr.: WRS1WRB00



S1 Wide Brown 112 Links - 1/60 box
product nr.: BS1WBR112



S1 Wide Brown 112L - 25pcs/Box + 25 CL
product nr.: WPS1WB112



S1 Wide Brown 50m reel + 40 CL
product nr.: WRS1WB000



Snap-On Wide EPT Silver

2pcs/card
product nr.: CSOWEPT00



40pcs/box
product nr.: WCSOWEPT0



Half Link Wide

10pcs/bag
product nr.: OL118000



BUSHED & HALF LINK CHAINS

B1

Internal gear hub



- Finish: Nickel plated, RB Anti-Rust or Black
- Bushed Construction
- Sizes: 1/2"x1/8" Wide and 1/2"x3/32" Narrow



B1 Narrow Silver	112 Links - 1/60 box product nr.: BB1NNP112	
B1 Narrow RB	112 Links - 1/60 box product nr.: BB01NRB12	
B1 Narrow Black	112 Links - 1/60 box product nr.: BB1NB0112	
B1 Wide Silver	112 Links - 1/60 box product nr.: BB1WNP112	
B1 Wide RB	112 Links - 1/60 box product nr.: BB1WRB112	
B1 Wide Black	112 Links - 1/60 box product nr.: BB1WB0112	

HL1

Single Speed



- Finish: Nickel plated
- Size: 1/2"x1/8" Wide
- Half Link design
- Super smooth & adjustable
- Bullet Pin



Bullet Pin

10pcs/bag
product nr.: CLBP7890

HL Wide Silver	100 Links - 1/60 box product nr.: BHL1WN100	
-----------------------	--	--

KOOL CHAINS

K1

Single Speed



- Finish: Ti-N Gold, Nickel plated, Silver/Black
- Super Light, 349 grams per 100 Links only! and 308 grams per 100 Links for K1 Narrow
- Hollow pin, open inner and outer plate design
- Sizes: 1/2"x1/8" Wide and 1/2"x3/32" Narrow



K1SL Narrow Ti-NGold	100 Links - 1/30 box product nr.: BK1SLNT00	
K1SL Narrow Silver	100 Links - 1/30 box product nr.: BK1SLNN00	
K1 Narrow Silver	100 Links - 1/60 box product nr.: BK1NNP100	
K1SL Wide Ti-N Gold	100 Links - 1/30 box product nr.: BK1SLWT00	
K1SL Wide Silver	100 Links - 1/30 box product nr.: BK1SLWN00	
K1 Wide Silver/Black	100 Links - 1/60 box product nr.: BK1WNB110	

WORKSHOP SOLUTIONS


REEL HOLDERS

50 meter reel for the efficient workshop

For professional dealers with a busy workshop, KMC now offers many chain models on workshop reels. The key models are available packed on 50 meter reels, ranging from Single Speed up to 11-speed chains.

Because of the increasing difference in chain lengths, especially for e-Bikes, a dealer has to hold more stock or order more regularly. The 50 meter reels offer the advantage of flexibility, you can shorten to the desired length with less waste and lower cost. Obviously, KMC will include the right connecting links for proper and secure assembly.




For easy dispensing of the reels KMC offers 2 solutions: a single reel holder for wall or work bench mounting (for work bench there is a special adapter) or a professional mobile reel center which can hold 3 reels. The reel center can be adjusted to proper working height making the busy workshop more efficient. The mechanic can quickly cut the chain to length, use the proper connector and finish his work faster.



Reel Center Pro
Size: H: 900 - W: 600 - D: 400

Reel Holder
Size: H: 200 - W: 150 - D: 320

Table Adapter
Adapter for Reel Holder

- Reel center Pro product nr.: DISREEL1

4 715575 200187
- Reel Holder product nr.: DISREEL2

4 715575 200200
- Table Adapter product nr.: DISREEL3

4 715575 200194

WORKSHOP SOLUTIONS

TOOLS

Pliers



MissingLink connector tool 1 / 50 box
product nr.: TOOL00MLC



4 715575 882611

MissingLink removing tool 1 / 50 box
product nr.: TOOL00MLR



4 715575 882628

MissingLink connector tool
Specially shaped to prevent damaging the chain when closing the MissingLink.

MissingLink removing tool
Specially shaped to prevent damaging the chain when opening the MissingLink.

Chain De-Rivetter



Chain De-Rivetter
KMC's Chain De-Rivetter is the perfect tool for cutting your new chain to its required length. For Single Speed to 12-Speed chains. Including 1 spare pin.



Chain De-Rivetter 1 card
product nr.: TOOL000CD



4 715575 882581

Chain De-Rivetter spare pin 1 card
product nr.: TOOL0SPCD



4 715575 200149

Chain checker



Digital chain checker
KMC's Digital Chain Checker is the perfect tool to measure your chain exactly.

Digital chain checker 1 / 10 / 50 box
product nr.: TOOL00DCC



4 715575 200125



Regular chain checker
By using regularly, this Chain Checker quickly gives you information about your chain's condition.

Regular chain checker 1 / 100 box
product nr.: TOOL00RCC



4 715575 882567

MissingLink Tire Lever



MissingLink Tire Lever
Both a missinglink remover as well as a tire lever.

MissingLink Tire Lever 1 / 25 / 200 box
product nr.: TOOL0MLTL




4 715575 200286




MARKETING MATERIAL



Dealer Catalog English CATAEN19
 Dealer Catalog German CATADE19
 Catalogue revendeur Français CATAFR19



ChainChoice poster
30x93cm



Sticker XS 22mm product nr. STICKNXS
 Sticker S 80mm product nr. STICKENS
 Sticker M 250mm product nr. STICKENM



Key Ring chain product nr. KEYRINNS



Key Ring foam product nr. KEYRINGS



Logo Tube product nr. LOGOTUBE



KMC Bag product nr. BAG00001



Chain Stay Protector Black/Gold product nr. CHAINSGB



Chain Stay Protector Black/Silver product nr. CHAINSBS

**KMC, PROUD SPONSOR
OF THE KMC-EKOI-SR SUNTOUR
MOUNTAINBIKE TEAM.**





Link To Perfection



KMC CHAIN EUROPE BV
Businesspark Friesland West 33
8447SL Heerenvveen The Netherlands
Tel: +31 513 65 06 90
www.kmchain.eu

